AIR POLLUTION CONTROL

Shelby County Health Department

OPERATING PERMIT

COMPANY NAME: STERILIZATION SERVICES OF TENNESSEE

COMPANY ADDRESS: 2396 Florida Street, Memphis, Tennessee 38109

ISSUANCE DATE: 03/16/2015 PERMIT NUMBER: 00477-02P

EXPIRATION DATE: 03/16/2020

SOURCE DESCRIPTION

Three Ethylene Oxide Sterilizers

Emission Point(s): Scrubber exhaust stack, sterilization chamber exhaust vents,

aeration room vents, and exhaust stack of oxidizer

Emission Control(s): Acid-water scrubber and Catalytic Oxidizer

The holder of this permit shall comply with all conditions contained in this permit as well as all applicable provisions of the City of Memphis Code. A permit condition may be appealed by filing a petition for reconsideration within thirty (30) days after the mailing date of the permit.

This permit may be subject to revocation, suspension, modification or amendment by the Technical Manager for cause including evidence of non-compliance with any of the above; or for any misrepresentation made in the application(s) received August 07, 2006, January 27, 2009 and supporting data entered therein or attached thereto, or any subsequent submittal or supporting data; or for any alterations affecting the emissions from this source.

This Permit is further subject to and conditioned upon the terms, conditions, limitations, standards, or schedules contained in or specified on the attached <u>10</u> pages.

ROBERT ROGERS, P.E., TECHNICAL MANAGER POLLUTION CONTROL SECTION

Issuance of this permit shall not relieve any owner or operator of the responsibility to comply fully with any other requirements of local, State, or Federal Law.

OPERATING PERMIT NO.: 00477-02P

EXPIRES: 03/16/2020

TABLE OF CONTENTS:

		Page	
]	PURPOSE OF THE PERMIT:	3	
]	PERMIT CONDITIONS:		
	Performance Requirements/Monitoring:	4-5	
	Record Keeping:	5	
	Reporting:	5	
	Insignificant Emissions Unit:	5	
	Appendix A – General Permit Conditions for Synthetic Minor Sources:	6-11	

Page 3

EXPIRES: 03/16/2020

Purpose of the permit:

This permit is issued for the operation of three ethylene oxide sterilizers (Units 0101, 0102, 103), two aeration rooms, and associated air pollution control systems (acid-water scrubber and catalytic oxidizer).

OPERATING PERMIT NO.: 00477-02P

PERMIT CONDITIONS:

- 1. The maximum ethylene oxide emissions from all emission sources at this facility shall not exceed 0.36 pounds per hour (24-hour average) and 1.59 tons per consecutive 12month rolling period.
- 2. The maximum ethylene oxide usage rate at this facility shall not exceed 36.25 lbs/hr (24hour average) and 158.78 tons per consecutive 12-month rolling period.
- 3. The facility owner or operator shall limit emissions as follows:

Emissions Tons Per Year	PM	SO2	NOx	со	VOCs	HAPs	HAPs
Process Description						Single	Combined
Catalytic Oxidizer (1)	0.12	0.01	1.55	1.293	0.09	0.028	0.029
Ethylene Oxide (EtO)						1.59	1.59
Total	0.12	0.01	1.55	1.293	0.09	1.618	1.619

(1) Burning natural gas only.

- 4. The annual natural gas usage for the catalytic oxidizer shall be limited to 30.91 million cubic feet per consecutive 12-month rolling period.
- 5. The facility owner or operator is placed on notice that condition numbers 1-2 of this permit contain limitations that allow the owner/operator to opt-out of the major source operating permit program requirements specified in City of Memphis Code Section 16-77, Reference 1200-3-9-.02(11). Failure to abide by these limits will not only subject the owner/operator to enforcement action by the Department, but it may also result in the imposition of Federal enforcement action by the EPA and the loss of Federal recognition as a conditional minor source.

STERILIZATION SERVICES OF TENNESSEE

ISSUED: 03/16/2015

Page 4

OPERATING PERMIT NO.: 00477-02P EXPIRES: 03/16/2020

Performance Requirements/Monitoring:

6. Emissions of ethylene oxide from all sterilization chamber vents at this facility shall be routed to the acid-water scrubber. The acid-water scrubber shall operate at a minimum ethylene oxide emission reduction efficiency of 99 percent during sterilization operation.

- 7. Emissions of ethylene oxide from the aeration room vents at this facility shall be routed to the catalytic oxidizer. The catalytic oxidizer shall operate at a minimum ethylene oxide emission reduction efficiency of 99 percent.
- 8. A liquid level indicator shall be installed, maintained and used to measure the scrubber liquor tank level. The level of the scrubber liquor in the recirculation tank shall be measured and recorded once per week. Operation of the facility with the liquor tank level in excess of the maximum liquor tank level established during the initial performance test shall constitute a violation of the ethylene oxide removal efficiency standard specified in this permit.
- 9. The maximum liquor tank level shall not exceed 60 inches.
- 10. The facility owner or operator shall install, calibrate, operate, and maintain a temperature monitor accurate to within ±5.6 °C (±10 °F) to measure the oxidation temperature. The owner or operator shall verify the accuracy of the temperature monitor twice each calendar year with a reference temperature monitor traceable to National Institute of Standards and Technology (NIST) standards or an independent temperature measurement device dedicated for this purpose. During accuracy checking, the probe of the reference device shall be at the same location as that of the temperature monitor being tested. As an alternative, the accuracy temperature monitor may be verified in a calibrated oven (traceable to NIST standards).
- 11. The facility owner or operator shall continuously monitor and record the oxidation temperature at the outlet to the catalyst bed when the oxidation unit is in operation. From 15-minute or shorter period temperature values, a data acquisition system for the temperature monitor shall compute and record a daily average oxidation temperature. Strip chart data shall be converted to record a daily average oxidation temperature each day any instantaneous temperature recording falls below the minimum temperature.
- 12. The oxidation temperature shall not be less than 240°F. [source request]
- 13. All components attached to and serving the air pollution control equipment shall be well maintained, in use, and functioning properly during operation of the sterilizers.
- 14. The following work practice shall be complied with by the owner or operator regarding

Page 5

the catalytic oxidizer:

(a) Every 5 years, beginning 5 years after the initial compliance test, replace the catalyst bed with new catalyst material. (Source Request)

OPERATING PERMIT NO.: 00477-02P

EXPIRES: 03/16/2020

Record Keeping:

- 15. The following records are required to be maintained for a period of five (5) years from the date of the record and made available to this Department upon request:
 - (a) Daily ethylene oxide usage.
 - (b) Weekly scrubber liquor tank level measurements.
 - (c) Records of temperature strip charts and daily average oxidation temperature.
 - (d) Records of monthly fuel usage.
 - (e) Records of malfunctions including: occurrence and duration of each malfunction of control equipment; specific identification (i.e., the date and time of commencement and completion of each time period of excess emissions and parameter monitoring exceedances) that occurs during periods other than startups, shutdowns, and malfunctions of the affected source; the nature and cause of any malfunction; the corrective action taken or preventive measures adopted.
 - (f) Provide supporting documentation that demonstrates the catalyst bed for the catalytic oxidizer has been replaced as required by condition no. 14 of this permit.
- 16. Preventative and maintenance records shall be kept on all air pollution control equipment for a period of at least five (5) years and made available to this Department upon request.

Reporting:

17. Quarterly reports summarizing the monthly ethylene oxide usage rate for the last consecutive twelve-month rolling period shall be submitted to this Department no later than thirty (30) days following the end of each calendar quarter.

Insignificant Emissions Unit:

The facility has one 10 Hp Natural Gas fired boiler which is considered an insignificant emissions source and his listed in the permit for information only.

General permit conditions are attached in Appendix A.

Page 6

OPERATING PERMIT NO.: 00477-02P EXPIRES: 03/16/2020

APPENDIX A

General Permit Conditions for Synthetic Minor Sources

SECTION I: OPERATIONAL REQUIREMENTS

- 1. The facility owner or operator shall control dust, fumes, gases, mist, vapors, or any combination thereof in such a manner as to not cause a nuisance in accordance with City of Memphis Code Section 16-88(a).
- 2. The facility owner or operator shall not cause, suffer, allow, or permit any air contaminant source to be operated without employing suitable measures for the control of the emission of objectionable odors in accordance with City of Memphis Code Section 16-88(b).
- 3. The facility owner or operator shall not discharge from any source whatsoever such quantities of air contaminant, uncombined water, or other materials, which cause a traffic hazard, in accordance with City of Memphis Code Section 16-77 [Reference Rules and Regulations of Tennessee, Rule 1200-3-9-.03(3)].
- 4. The facility owner or operator shall not cause, suffer, allow, or permit any materials to be handled, transported, or stored; or a building, its appurtenances, or a road to be used, constructed, altered, repaired or demolished without taking reasonable precautions to prevent particulate matter from becoming airborne, in accordance with City of Memphis Code Section 16-89.
- 5. The open burning of residential, commercial, institutional, or industrial solid waste is prohibited except as specified in this permit or in City of Memphis Code Section 16-50.
- 6. Air contaminant sources must take all reasonable measures to keep emissions to a minimum during startups, shutdowns, and malfunctions in accordance with City of Memphis Code Section 16-87 [Reference Rules and Regulations of Tennessee, Rule 1200-3-20-.02]. These measures may include installation and use of alternate control systems, changes in operating methods or procedures, cessation of operation until the process equipment and/or air pollution control equipment is repaired, maintaining sufficient spare parts, use of overtime labor, use of outside consultants and contractors, and other appropriate means. Failures that are caused by poor maintenance, careless operation or any other preventable upset condition or preventable equipment breakdown shall not be considered malfunctions, and shall be considered in violation of the emission standard exceeded and this rule.

SECTION II: TESTING REQUIREMENTS

7. The facility owner or operator may be required to conduct or have conducted such tests as are necessary to establish the quantity or identity of air contaminants emitted from an air contaminant source. Such tests shall be conducted in a manner approved in advance by the Technical Manager, in accordance with City of Memphis Code Section 16-85.

STERILIZATION SERVICES OF TENNESSEE OPERATING PERMIT NO.: 00477-02P ISSUED: 03/16/2015 EXPIRES: 03/16/2020

Page 7

8. Whenever the Technical Manager has reason to believe that the emission limits of the regulations set forth herein are being violated, the Technical Manager may require The facility owner or operator to conduct or have conducted at the owner's or operator's expense, tests to determine the emission level of specific air contaminants, in accordance with City of Memphis Code Section 16-85.

- 9. The facility owner or operator of an air contaminant source to be tested shall provide the Technical Manager at least 30 days prior written notice of any performance test and the test protocol form, except as otherwise specified in a promulgated test method, to afford the Technical Manager the opportunity to have an observer present and to approve the test protocol, in accordance with City of Memphis Code Section 16-85.
- 10. Performance tests shall be conducted under representative performance conditions of the tested air contaminant source(s) for which compliance is to be demonstrated by the test. Samples shall be taken in such number, duration and location as to be statistically significant and representative of performance conditions for which compliance is to be demonstrated by the test, in accordance with City of Memphis Code Section 16-85. Unless otherwise specified in the test method, each performance test shall be corrected to standard conditions, defined as a temperature of 293 K (68° F) and a pressure of 101.3 kilopascals (29.92 in Hg).
- 11. The facility owner or operator may be required to retest at the request of the Technical Manager if the maximum production rate that occurred during compliance testing is exceeded by 10 percent or more, in accordance with City of Memphis Code Section 16-86.
- 12. Unless otherwise specified in the test method, each performance test shall consist of three separate runs using the applicable test method. Each test run shall be conducted for the time and under the conditions specified in the applicable test method. For the purpose of determining compliance with an applicable standard, the arithmetic mean of results of the three runs shall apply. In the event that a sample is accidentally lost or conditions occur in which one of the three runs must be discontinued because of forced shutdown, failure of an irreplaceable portion of the sample train, extreme meteorological conditions, or other circumstances beyond the owner or operator's control, compliance may, upon the Administrator's approval, be determined using the arithmetic mean of the results of the two other runs, in accordance with City of Memphis Code Section 16-85, [Reference the Rules and Regulations of Tennessee, Rule 12003-10].

SECTION III: MONITORING/RECORDKEEPING REQUIREMENTS

- 13. A log of all malfunctions, startups, and shutdowns resulting in emissions in excess of the standards in the City of Memphis Code or any permit issued thereto must be kept at the facility in accordance with City of Memphis Code Section 16-87 [Reference Rules and Regulations of Tennessee, Rule 1200-3-20-.04]. This log must record at least the following:
- a) Stack or emission point involved;

STERILIZATION SERVICES OF TENNESSEE OPERATING PERMIT NO.: 00477-02P ISSUED: 03/16/2015 EXPIRES: 03/16/2020

Page 8

b) Time of malfunction, startup, or shutdown or when first noticed;

- c) Type of malfunction and/or reason for shutdown;
- d) Time startup or shutdown was complete or time the air contaminant source returned to normal operation; and
- e) The company employee making entry on the log must sign, date and state the time of each log entry. The information under items (a) and (b) above must be entered into the log by the end of the shift during which the malfunction, startup, or shutdown began.

All information shall be entered in the log no later than twenty-four (24) hours after the startup or shutdown is complete, or the malfunction has ceased or has been corrected. Any later discovered corrections can be added in the log as footnotes with the reason given for the change.

SECTION IV: REPORTING/NOTIFICATION REQUIREMENTS

- 14. When any air contaminant source malfunctions in such a manner as to cause the emission of air contaminants in excess of the applicable emission standards contained in Division 1200-3 or any permit issued thereto, or of sufficient duration to cause damage to property or public health, The facility owner or operator of the air contaminant source shall promptly notify the Technical Manager of such malfunction and provide a statement giving all pertinent facts, including the estimated duration of the malfunction, in accordance with City of Memphis Code Section 16-87 [Reference Rules and Regulations of Tennessee, Rule 1200-3-20-.03]. Violations of the visible emission standard (excluding visible emissions caused by hazardous air pollutants named in Chapter 1200-3-11), which occur for less than 20 minutes in one day (midnight to midnight) need not be reported. Prompt notification will be within 24 hours of the malfunction and shall be provided by telephone to the Shelby County Health Department, Pollution Control Section.
- 15. The Technical Manager shall be notified when the malfunction has been corrected, in accordance with City of Memphis Code Section 16-87 [Reference Rules and Regulations of Tennessee, Rule 1200-3-20-.03]. In attainment and unclassified areas if emissions other than from sources designated as significantly impacting on a nonattainment area in excess of the standards will not and do not occur over more than a 24-hour period (or will not recur over more than a 24-hour period) and no damage to property and or public health is anticipated, notification is not required. Any malfunction that creates an imminent hazard to health must be reported by telephone immediately to the Shelby County Health Department, Pollution Control Section and the Emergency Management Agency.
- 16. The facility owner or operator shall submit a report to the Department, on an annual basis, that establishes the amount of actual emissions of each regulated pollutant for the facility according to the provisions in City of Memphis Code Section 16-98. This report shall be

OPERATING PERMIT NO.: 00477-02P EXPIRES: 03/16/2020

submitted no later than February 28th of each calendar year and shall include emissions that occurred during the previous calendar year.

SECTION V: MISCELLANEOUS GENERAL REQUIREMENTS

- 17. The facility owner or operator shall apply for a permit renewal at least sixty (60) calendar days prior to the expiration of this permit in accordance with City of Memphis Code Section 16-77 [Reference Rules and Regulations of Tennessee, Rule 1200-3-9-.02(3)(a)].
- 18. The facility owner or operator shall pay fees in accordance with City of Memphis Code Sections 16-93 through 16-96.
- 19. This permit is not transferable from one person to another person, nor from one air contaminant source to another air contaminant source, nor from one location to another location pursuant to City of Memphis Code Section 16-77 [Reference Rules and Regulations of Tennessee, Rule 1200-3-9-.03(6)].
- 20. The facility owner or operator shall maintain this operating permit readily available for inspection by the Technical Manager or his/her designated representative on the operating premises. A person required by regulations to have one or more operating permits shall keep at least one operating permit prominently and conspicuously displayed on the operating premises in accordance with City of Memphis Code Section 16-77 [Reference Rules and Regulations of Tennessee, Rule 1200-3-9-.02(5)].
- 21. The Shelby County Health Department in conjunction with the Memphis and Shelby County Air Pollution Control Board shall have authority, at their option, to institute and litigate proceedings for violations as set out therein, in accordance with City of Memphis Code Section 16-57. Any person who knowingly:
 - a) Violates or fails to comply with any provision of the City of Memphis Code, any board or administrative order or any permit condition;
 - b) Makes any false material statement, representation, or certification in any record, report, plan or other document required by permit to be either filed or maintained;
 - c) Falsifies, tampers with, renders inaccurate or fails to install any monitoring device or method required to be maintained or followed; or
 - d) Fails to pay a fee commits a Class C misdemeanor pursuant to the Tennessee Code Annotated with the fine not to exceed ten thousand dollars (\$10,000) per day per violation. For the purpose of this section, each day of continued violation constitutes a separate offense and is punishable as such.
- 22. The facility owner or operator of any air contaminant source shall be responsible for complying with emission regulations as contained in other chapters of these regulations at the

OPERATING PERMIT NO.: 00477-02P EXPIRES: 03/16/2020

- earliest practicable time and for this purpose the Board shall have the authority and responsibility to require compliance with these regulations at an earlier date than indicated where such earlier compliance may reasonably be accomplished, in accordance with City of Memphis Code Section 16-77 [Reference Rules and Regulations of Tennessee, Rule 1200-3-9-.03(1)].
- 23. The facility owner or operator shall not use any plan, activity, device or contrivance which the Technical Manager determines will, without resulting in an actual reduction of air contaminants, conceal or appear to minimize the effects of an emission which would otherwise constitute a violation of these Regulations, in accordance with City of Memphis Code Section 16-77 [Reference Rules and Regulations of Tennessee, Rule 1200-3-9-.03(2)]. Methods considered circumvention of the regulations include but are not limited to the following:
 - a) Air (or other gases) introduced for dilution purposes only; or
 - b) The staggered installation and operation of a facility to avoid coverage by a standard that applies only to operations larger than a specified size.
- 24. The Technical Manager may suspend or revoke any construction or operating permit if the permit holder fails to comply with the provisions, stipulations, or compliance schedules specified in the permit; all provisions of these regulations; and all provisions of the Tennessee Air Quality Act, in accordance with City of Memphis Code Section 16-77 [Reference Rules and Regulations of Tennessee, Rule 1200-3-9-.03(7)]. Upon permit suspension or revocation, if the permit holder fails to take remedial action, he shall become immediately subject to enforcement actions prescribed by law.
- 25. Failure to comply with any of the provisions of the City of Memphis Code shall constitute a violation thereof and shall subject the person or persons responsible therefore to any and all of the penalties provided by law, in accordance with City of Memphis Code Section 16-57.
- 26. For the purpose of carrying out the requirements of the City of Memphis Code, the Technical Manager or his/her authorized representatives, including engineers, assistants, environmentalists and other employees, shall be permitted at all reasonable times to enter into any manufacturing plants, business buildings or other buildings, and all lots, grounds and premises, in order to thoroughly examine any items in relation to public health and air pollution thereon and therein, in accordance with City of Memphis Code Section 16-61.
- 27. The facility owner or operator shall not begin the construction of a new air contaminant source or the modification of an air contaminant source which may result in the discharge of air contaminants without first having applied for and received from the Technical Manager a construction permit for the construction or modification of such air contaminant source, in accordance with City of Memphis Code Section 16-77 [Reference Rules and Regulations of

STERILIZATION SERVICES OF TENNESSEE ISSUED: 03/16/2015

Page 11

Tennessee, Rule 1200-3-9-.01(1)(a)], except as specifically exempted in Rule 1200-3-9-.04 or excluded in subparagraph 1200-3-2-.01(1)(aa) or subparagraph 1200-3-2-.01(1)(cc).

OPERATING PERMIT NO.: 00477-02P

EXPIRES: 03/16/2020

28. The application for a construction permit shall be made on forms available from the Technical Manager not less than ninety (90) days prior to the estimated starting date of construction in accordance with City of Memphis Code Section 16-77 [Reference Rules and Regulations of Tennessee, Rule 1200-3-9-.01(1)(b)]. Sources identified in Paragraph 1200-3-9-.01(4) shall make application for a construction permit not less than one hundred twenty (120) days prior to the estimated date of construction.